

INDEX MAPS.

T.7N R.2W 2nd Mer.

	269		269		268		268		268		267
271	6	290	5	286	4	283	3	279	2	275	1 267
	290		290		286		282		279		275
271	7	289	8	286	9	282	10	278	11	275	12 266
	290		289		285		282		278		274
271	18	289	17	285	16	281	15	278	14	274	13 266
	291		288		285		281		277		273
270	19	288	20	284	21	281	22	277	23	273	24 265
	291		288		284		280		277		273
270	30	287	29	284	28	280	27	276	26	272	25 265
	292		287		283		280		276		272
269	31	287	32	283	33	279	34	276	35	272	36 265
	264		264		264		263		263		263

T.8N R.2W 2nd Mer.

	298		298		298		297		297		297
300	6	320	5	316	4	312	3	308	2	304	1 296
	320		319		315		312		308		304
300	7	319	8	315	9	311	10	308	11	304	12 296
	320		319		315		311		307		303
300	18	318	17	315	16	311	15	307	14	303	13 296
	321		318		314		310		306		303
299	19	318	20	314	21	310	22	306	23	302	24 295
	321		317		313		310		306		302
299	30	317	29	313	28	309	27	306	26	302	25 295
	321		317		313		309		305		301
299	31	316	32	312	33	309	34	305	35	301	36 295
	294		294		294		293		293		293

The figures on the lines refer to the page.

Township N. 8 North of Range N. 2 West of the 2nd Mer. Sec. 1st
Ch. 1st Sec.

South Branch April 4th 1811.

West From the cor. of Town N. 7. & 8. N. R. 2 N. 1 & 2 W. in
the South Branch of Sec. 36. T. N. 8 N. R. N. 2 W.
40.00 Set apart for the cor. to 1/4 Sec. from which a
Sycam 18 in. dia. bore S 63 E. 16 miles dist; 1st
Sugar 12 n n n N 44 W. 16 n n
43.00 To a Brook 3 miles wide; Corns St.
44.25 To a N. Oak 24 in. dia. It stands in the line.
80.00 Set apart for the cor. to Sec. 35, & 36. T. N. 8 N. R. N.
2 W. from which a Buck 5 in. dia. bore S 22 E. 10 the
dist; made a Do 12 n n n N 35 W. 15 n
Sands good; Timber Buck, Sugar, Oak &c.

West 2nd Mile in the South Branch of Sec. 35. T. N. 8 N.
R. N. 2 W.
40.00 Set a trap for the cor. to 1/4 Sec. from which a
Buck 18 in. dia. bore S 85 W. 13 miles dist; 1st
Do 15 n n n S 18 E. 13 n n
69.75 To a Sugar 16 in. dia. It stands in the line.
80.00 Set apart for the cor. to Sec. 34. & 35. T. N. 8 N. R. N.
2 W. from which a Sugar 12 in. dia. bore South 17 the dist
made a Mulberry 8 in dia bore N 54 W. 34 miles dist
Sands in the R. 1/2 mile same as before. 2nd 1/2 mile.
Rich level lands; Timber Sugar Buck made. Poplar

West 3rd Mile in the South Branch of Sec. 34 T. N. 8 N. R.
N. 2 W. 2nd Mer.
32.50 To a Buck 12 in. dia. It stands in the line.
40.00 Set apart for the cor. to 1/4 Sec. from which a
Heich 20 in. dia. bore S 68 E. 34 miles dist; 1st
Do 18 n n n N 87 W. 25 n n
67.75 To a Heich 12 in. dia. It stands in the line.
80.00 Set apart for the cor. to Sec. 33. & 34. T. N. 8 N. R. N. 2 W.
from which a Heich 12 in. dia. bore S 74 E. 16 the
dist; made a Do 14 n n n N 14 W. 20. n
Sands soil made timber same as in the last mile.

294

I. N. 8. N. R. N. 27. 2nd Mer. (C. d. u.)

- West 4th Mile on the South Boundary of Sec. 33. I. N. 8.
N. R. N. 27.
- 31.50 Iron N. Oak 30 in. dia. Stands on the line.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Kick 12 in. dia. has S 54 N. 30 miles dist; to
N. Oak 18 " " " N 79 E. 43 " " "
- 46.00 To a Brook 3 miles wide; across it.
- 80.00 Set a post for the cor. to Sec. 32, 133. I. N. 8. N. R.
N. 27. From which a
Sugon 12 in. dia. has S 57 E. 18 miles dist; to
Kick 11 in. dia. " " " N 33 W. 19 " " "
Good Oak Land.

- West 5th Mile on the South Boundary of Sec. 32 & 33. I. N. 8.
N. R. N. 27.
- 28.50 Iron Poplar 28 in. dia. Stands on the line.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Log grove 6 in. dia. across N 84 E. 31 miles dist;
under Sugar 12 " " " West 24 " " "
- 80.00 Set a post for the cor. to Sec. 31 & 32. I. N. 8. N.
N. 27. From which a
Sugon 16 in. dia. has N 49 E. 23 miles dist; to
Poplar 16 " " " N 49 W. 23 " " "
Good Oak Land.

- West 6th Mile. on the South Boundary of Sec. 31. I. N. 8.
N. R. N. 27.
- 17.00 To a Brook 3 miles wide; across it.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Sugar 14 in. dia. has S 76 W. 13 miles dist; to
Walnut 8 " " " N 55 E. 20 " " "
- 50.00 To a Brook 10 miles wide; across it. E.
- 77.00 " " " 3 " " " N.
- 80.50 Set a temporary post for the cor. to I. N. 7 & 8. N. R. 27.
37. Good Oak; Timber Sugar Oak & Pop.
Am. & C. B. Lanes. I. N. 8. N. R. N. 27.

D. N. 8. N. R. N. 2 W. 2nd Mer. Sec. 2

East Boundary.

North 1st Mile on the East Boundary of Sec. 36 T. N. 8 N. R. N. 2 W.

15.00 Top Brook 50 inches wide; leaves S. E.

40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 13 in. dia. leaves S 60 E. 17 miles dist; 10
Do 15 " " " N 40 W. 15 " "

55.50 Iron Ash 1 1/2 in. dia. stands in the line.

80.00 Set a post for the cor. to Sec. 25, & 36 T. N. 8 N. R. N. 2 W. from which a

Dogwood 4 in. dia. S. W. N 60 E. 10 miles dist; 10
Beck 18 " " " S 15 W. 27 " "
Sands R. oaks; Sugar, Walnut, Ash.
2nd 1/2 mile Sands rich and level; timber same

North 2nd Mile on the East Boundary of Sec. 25 T. N. 8 N. R. N. 2 W.

16.50 Top Brook 8 inches wide; leaves East.

28.00 Top Beck 40 in. dia. stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 13 in. dia. leaves S 24 E. 20 miles dist; 10
Beck 8 " " " N 65 W. 26 " "

44.00 Top Brook 60 inches wide; leaves S. E.

80.00 Set a post for the cor. to Sec. 24 & 25 T. N. 8 N. R. N. 2 W. from which a

Sugar 13 in. dia. leaves N 55 E. 11 miles dist; 10
Do 14 " " " S 43 W. 24 " "
Sands rich and timber same as on the last mile.

North 3rd Mile on the South Boundary of Sec. 24 T. N. 8 N. R. N. 2 W.

18.00 Top W. Oak 20 in. dia. stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 16 in. dia. leaves S 78 W. 14 miles dist; 10
Beck 3 " " " S 10 E. 13 " "

80.00 Set a post for the cor. to Sec. 13 & 24 T. N. 8 N. R.

T. N. 8 N. R. No 2 W. 2nd Mer. (Ind.)

No 2 W. from which
 Sugar 13 in. dia. beam No 6 E. 4 miles dist; 10
 Do 6 a n n N 16 W. 24 a n n
 Some of middling quality; Timber Beech, Sugar
 & Poplar.

North 4th Mile. on the East Boundary of Sec 13 T. N. 8
 N. R. No 2 W.

- 40.00 Set a post for the cor. to 1/4 sec. from which
 W. Oak 16 in. dia. beam No 2 W. 3 1/2 miles dist; 10
 Logwood 6 a n n N 47 E. 13 a n n
 69.00 Iron Brook 8 miles dist; Course S. E.
 78.00 Iron Sugar 13 in. dia. Stands in the line.
 80.00 Set a post for the cor. to Sec. 12 & 13. T. N. 8 N. R.
 No 2 W. from which an Oak 6 in. dia. beam N 30 W.
 11 miles dist; and a W. Oak 5 a n n N 66 E.
 18 a n n Some 2nd rate; Timber Oak, Poplar &c.

North 5th Mile on the East Boundary of Sec. 12 T. N. 8.
 N. R. No 2 W.

- 23.50 Iron Beech 14 in. dia. Stands in the line.
 35.10 Iron Spring 20 miles dist; Course S. E. Rattle
 Snake Run at the head.
 40.00 Set a post for the cor. to 1/4 sec. from which
 Poplar 40 in. dia. beam N 65 E 8 miles dist; 10
 Do 36 a n n N 54 W. 24 a n n
 80.00 Set a post for the cor. to Sec. 18 & 12 T. N. 8 N. R. No
 2 W. from which
 Logwood 4 in. dia. beam No 6 W. 7 miles dist; 10
 W. Oak 30 a n n N 40 E. 5 a n n
 Some hard; Timber Oak.

North On the 6th Mile; East Boundary of Sec. 1. T. N.
 8 N. R. No 2 W.

- 28.50 Iron W. Oak 36 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which

T. No 8 N.R. No 27. 2nd Mer. Ind.

- W Oak 10 in. dia. beam S 56 N. 11 links dist; 10
 Poplar 40 n n n N 31 E. 7 n n
 57.50 To an N. Oak 20 in. dia. beam in the line
 81.00 Set a temporary post for the cor. to T. No 8. 19. N.R. No
 1 & 27.

North Boundary April 6th 1811.

- West 1st Mile from the cor of Toms 8. 19. N.R. No 27.
 in the North Boundary of Sec. 36. T. No 9. N.R. No 27.
 40.00 Set a post for the cor. to 1/4 Sec. from which a
 Hickory 13 in. dia. beam N 37 E. 31 links dist; 10
 Do 14 n n n S 53 N. 22 n n
 80.00 Set a post for the cor. to Sec. 35. 136 T. No 9. N.R.
 No 27. from which a Logwood 5 in. dia. beam
 46 N. 28 links dist; 10 Do 4 n n n
 46 E. 16 n n
 Sand bar; Timber Oak & Hickory

- West 2nd Mile in the South Boundary of Sec. 35 T. No
 9. N.R. No 27. 2nd Mer.
 35.00 To a Brook 10 links via corner South.
 40.00 Set a post for the cor. to 1/4 Sec. from which a
 Birch 10 in. dia. beam N 46 E. 14 links dist; 10
 Logwood 5 n n n N 87 N. 16 n n
 80.00 Set a post for the cor. to Sec. 34. 135 T. No 9. N.
 R. No 27. from which a
 W. Oak 15 in. dia. beam N 30 N. 7 links dist; 10
 W. Oak 18 n n n S 45 N. 13 n n
 Sand bar ends timber same as in the last mile.

- West 3rd Mile in the South Boundary of Sec. 34. T. No 9
 N.R. No 27
 40.00 Set a post for the cor. to 1/4 Sec. from which a
 Sugar 12 in. dia. beam S 25 E. 13 links dist; 10
 Do 8 n n n N 5 N. 12 n n
 80.00 Set a post for the cor. to Sec. 33. 134 T. No 9. N.R. No

T^N 8 N^R 27. 2nd Mer. (Ind.)2nd Mer. from which

Sum 5 in. dia. bore 440 W. 12 miles dist; and

13. Oak 36 in. dia. 155 E. 15 in. dia.

Lands level Timber Oak, Poplar, Sugar, etc.

West 4th Mile on the South Boundary of Sec. 33 T^N 9. N^R 27.

40.00 Set a post for the cor. to 1/4 Sec. from which

Sum 10 in. dia. bore 22 W. 13 miles dist; and

Do 13 in. dia. 11 W. 30 in. dia.

80.00 Set a post for the cor. to Sec. 32 & 33. T^N 9. N^R 27. from which

W. Oak 16 in. dia. bore 25 E. 4 miles dist; and

Sugar 8 in. dia. 35 W. 30 in. dia.

Good lands; Timber Sugar, Oak, and Walnut

West 5th Mile on the South Boundary of Sec. 32. T^N 9. N^R 27.

24.00 Trap Brook 20 miles into; source N. W.

40.00 Set a post for the cor. to 1/4 Sec. from which

Sum 5 in. dia. bore 87 E. 18 miles dist; and

Butternut 12 in. dia. 40 W. 16 in. dia.

80.00 Set a post for the cor. to Sec. 31 & 32 T^N 9. N^R 27. from which

Sum 12 in. dia. bore 30 E. 14 miles dist; and

Oak 8 in. dia. 12 W. 12 in. dia.

Lands level and timber same as the last mile

West 6th Mile on the South Boundary of Sec. 31. T^N 9. N^R 27.

40.00 Set a post for the cor. to 1/4 Sec. from which

Sum 16 in. dia. bore 26 W. 26 miles dist; and

Do 4 in. dia. 30 E. 5 in. dia.

80.00 Set a temporary post for the cor. to T^N 8 & 9. N^R 27. 3 W. Lands level and timber same as the last mile. T^N 9. N^R 27.

T. N^o 8. N. R. N^o 2 W. 2nd Mer. Ind.

West Boundary. April 7. 1811.

North 1st Mile from the cor. to T. N^o 7. & 8 N. R. N^o 2 & 3
W. on the East Boundary of Sec. 36. T. N^o 8. N. R.
N^o 3 W.

11.50 To a Brook 8 miles wide; hence S. E.

24.00 Set a post for the cor. to 1/4 sec. from which a
Beck 14 in. diameter N 20 W. 31 miles wide; to
do 16 " " " N 51 E. 26 " "

54.00 To a Beck 14 in. dia. stands in the line

80.00 Set a post for the cor. to Sec. 25. & 36. T. N^o 8. N. R.
N^o 3 W. from which a Beck 12 in. dia. bears
S 59 E. 18 miles dist; to Gum 22 " " "
N 19 W. 22 " " " Landed here; Timber Beck
Gum & Poplar.

North 2nd Mile; on the East Boundary of Sec. 25. T. N^o
8. N. R. N^o 3 W.

19.50 To a Gum 20 in. dia. stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 10 in. dia. bears N 19 E. 10 miles dist; to
Beck 11 " " " N. 26 W. 37 " "

80.00 Set a post for the cor. to Sec. 24. & 25 T. N^o 8. N. R. N^o
3 W. 2nd Mer. from which a

Beck 9 in. dia. bears N 25 W. 10 miles dist; to
Maple 12 " " " S 49 E. 22 " " "
Landed here Timber Oak &c.

North 3rd Mile on the East Boundary of Sec. 24. T. N^o 8
N. R. N^o 3 W.

15.00 To a Beck 18 in. dia. stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Gum 13 in. dia. bears N 59 W. 12 miles dist; to
do 5 " " " N 43 E. 14 " " "

80.00 Set a post for the cor. to Sec. 13. & 24 T. N^o 8. N. R.
N^o 3 W. from which a Poplar 5 in. dia. bears N 18 E.
15 miles dist; to Poplar 5 in. dia. bears East 12 miles dist.

T. N. 8 N. R. No 2 W. 2nd Mer. (Ind. 2)

Land Heilly and Stacy Timber Oak &c.

North 4th Mile on the East Boundary of Sec. 13. T. N. 8 N. R. No 3 W.

35.00 To a Beech 14 in. dia. stands in the line.

40.00 Set a post for the cor. to 1/4 Sec. from which a
Beech 15 in. dia. bears S 52 W. 40 miles dist; to
do 14 n n n S 60 E. 32 n n n

47.00 To a Beech 57 miles near; corner N. W.

80.00 Set a post for the cor. to Sec. 12. & 13. T. N. 8 N. R. No 3 W. from which a

Beech 13 in. dia. bears S 58 E. 22 miles dist; to
Sugar 18 n n n N 76 W. 19 n n n
Land Heilly and Stacy Timber Same as before

North 5th Mile on the South Boundary of Sec. 12. T. N. 8 N. R. No 3 W.

40.00 Set a post for the cor. to 1/4 Sec. from which a
Beech 14 in. dia. bears N 61 W. 14 miles dist; to
do 7 n n n S 47 E. 16 n n n

63.50 To a Sugar 7 in. dia. stands in the line.

69.00 To a Beech 15 miles near; corner S. W.

80.00 Set a post for the cor. to Sec. 10 & 12. T. N. 8 N. R. No 3 W. from which a

Sugar 14 in. dia. bears S 68 W. 20 miles dist; to
Beech 15 n n n N 86 E. 18 n n n

North 6th Mile on the South Boundary of Sec. 1. T. N. 8 N. R. No 3 W.

9.00 To a Poplar - in dia. stands in the line.

40.00 Set a post for the cor. to 1/4 Sec. from which a
Poplar 20 in. dia. bears S 82 E. 23 miles dist; to
Beech 6 n n n S 82 W. 27 n n n

78.00 Into Sec. 9 the East & West line 10 ch. East of the
temp. post set for the cor. to T. 8. & 9. R. 2 & 3
W. made set a post for the cor. to T. 8. & 9. R. 2 & 3.

T. N. 8 N. R. N. 2 W. 2nd Mer. (Ind. 4)

N. R. N. 2 & 3 W. from which a
Sugar 13 in. div. bears N 74 E. 9 miles dist; &
R. 12 a n n N 46 W. 17 a n
Sandy soil and timber same as on the last mile.

Surveyed by
Alexander Holmes Esq.

Subdivisions

North Bottom Sub. 35, 136. T. N. 8 N. R. N. 2 W.
23.50 Tra Brook 25 miles wide; course S.E.
40.00 Set a post for the cor. to 1/4 Sec. from which a
Beck 12 in. div. bears N 44 W. 34 miles dist;
Kick 12 a n n N 40 E. 23 a n n
72.50 Tra Brook 25 miles wide; course S.E.
80.00 Set a post for the cor. to Sub. 25, 26, 35, 136. from
which a Sugar 10 in. div. bears S 80 E. 20 miles
dist; & Beck 20 a n n N 76 W. 7 in
Sandy soil and rolling timber Poplar, Oak,
Walnut and Sugar.

East On a Random line between Sub. 25, 136. T. N. 8.
N. R. N. 2 W.
13.50 Lost Spring course South
27.00 Tra Brook 10 miles wide; course S.W.
40.00 Set a timber post for the cor. to 1/4 Sec.
80.00 Intersperse the N. 83. 12 miles South of the post set
for the cor. to Sub. 25, 136.
Sandy soil and timber same as on the last mile.

West On the true line between Sub. 25, 136. T. N. 8 N.
R. N. 8 W.
40.00 Set a post for the cor. to 1/4 Sec. at the above dist on
the true line. from which a
W. Oak 10 in. div. bears N 74 E. 17 miles dist; &
W. Oak 20 a n n N 56 W. 16 a n n

T. N. 8. N. R. N. 27. 2nd Mer. (Ind. a)

80.00 To the first lot for the cor. to Sec. 25, 26, 35, 36.

North Return Sec. 25, 26. T. N. 8 N. R. N. 27.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Beck 15 in. dia. beam S 72 W. 18 miles ditch; to
L 0 8 n n n S 74 E 7 n n

80.00 Set a post for the cor. to Sec. 23, 24, 25, 26 from
which on Elm 12 in. dia. beam N 12 W. 9 miles ditch;
made a Beck 15 n n n S 20 E. 10 n n n
Sands soil made timber same as on the last mile.

East On a Random line between Sec. 24 & 25. T. N. 8
N. R. N. 27.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.

50.00 To a Brook 20 miles wide; corner S.

80.20 Enter into the N. & S. line 10 miles North of the
first lot for the cor. to Sec. 24 & 25.
Sands soil made timber same as on the last mile

West On the true line between Sec. 24 & 25. T. N. 8 N.
R. N. 27

40.10 Set the temporary post on the above dist. on the true
line for the cor. to $\frac{1}{4}$ Sec. from which a
Beck 12 in. dia. beam N 60 E. 15 miles ditch; to
Sum 18 n n n S 56 W. 24 n n n

80.00 To the first lot for the cor. to Sec. 23, 24, 25, 26.

North Return Sec. 23 & 24 T. N. 8 N. R. N. 27.

37.00 To a Spring East

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Beck 7 in. dia. beam N 65 W. 20 miles ditch; to
Red Bud, 5 n n n N 87 E. 11 n n n

44.00 To a Brook 15 miles wide; corner S. E.

80.00 Set a post for the cor. to Sec. 13, 14, 23, & 24 T. N.
8 N. R. N. 27. from which a
Beck 40 in. dia. beam N 4 W. 11 miles ditch; to

T. N. 8 N.R. N. 27. 2nd Mer. (Ind. a)

Log on 15 in - new line S44 E. 24 miles dist; r₂
Sands soil on timber same as on the last mile

East On a random line between Sec. 13 & 24. T. N. 8 N.R. N. 27.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

46.00 To a Spring - same South.

79.30 Into section the N. & S line 30 miles South of the post.
Set for the cor. to Sec. 13 & 24.

Sands soil on timber same as on the last

West On the true line between Sec. 13 & 24. T. N. 8 N.R. N. 27.

39.65 Set the temporary post at the aver. dist. on the true line for the cor. to $\frac{1}{4}$ sec. from which a
Sum 20 in dia. trees S60 E. 3 miles dist; r₂
Logwood 5 in - N33 W. 25 in -

79.30 To the post set for the cor. to Sec. 13 14 23 & 24

North Section Sec. 13 & 14. T. N. 8 N.R. N. 27.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Log on 12 in dia. trees N87 W. 20 miles dist; r₂
Elm. 6 in - S59 E. 18 in -

80.00 Set a post for the cor. to Sec. 13 14 11 & 10. from
which a Tree 30 in dia. trees S10 W. 13 miles dist;
make a Logwood 5 in - N15 E. 19 in -
Sands soil on timber same as on the last mile

East On a random line between Sec. 12 & 13. T. N. 8 N.R. N. 27.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

79.50 Into section the N. & S line 34 miles North of the
post set for the cor. to Sec. 12 & 13.

Sands soil on timber same as on the last mile.

West On the true line between Sec. 12 & 13. T. N. 8 N.R. N.

T. N. 8 N. R. N. 2 W. 2nd Mer. (Ind.?)

2 W. 2nd Mer.

- 39.90 Set the temporary post at the corner dist on the true line
for the cor. to 1/4 sec. from which a
Heik 8 in. dia. beam S10 E. 14 links dist; to
Logan road 3 in a ~ N48 W. 8 in a ~
79.80 To the first set for the cor. to 1/4 sec. 11. 12. 13 + 14
-

North Between Sec. 11. + 12. T. N. 8 N. R. N. 2 W.

15.50 To a Brook 10 links mid; hence West

- 40.00 Set a temporary post for the cor. to 1/4 sec. from which
a Heik 12 in. dia. beam S72 W. 14 links dist; to
Lo 4 in a ~ S57 E. 15 in a ~

44.00 To a Brook 10 links mid; hence S.E.

- 80.00 Set a post for the cor. to Sec. 1. 2. 11. + 12. from which
a Heik 8 in dia beam N12 E. 9 links dist; to
Lo 25 in a ~ S36 W. 13 in a ~
Quadrant and timber line across the last mile.
-

East On a Meridian line between Sec. 1. + 12 T. N. 8 N.
R. N. 2 W.

24.00 To a Brook 12 links mid; hence South.

40.00 Set a temporary post for the cor. to 1/4 sec.

- 79.30 Into Section the N. 13 mi 38 links South of the Post.
Set for the cor. to Sec. 1. + 12. T. N. 8 N. R. N. 2 W.
Quadrant and timber line across the last mile.
-

West On the line between Sec. 10 + 12 T. N. 8 N. R. N.
2 W. 2nd Mer.

- 39.65 Set the temporary post at the corner dist on the true line
for the cor. to 1/4 sec. from which a
Heik 12 in. dia. beam S75 W. 10 links dist; to
Heik 14 in a ~ N60 E. 23 in a ~
79.30 To the first set for the cor. to Sec. 1. 2. 11. 12.
-

North Between Sec. 1 + 12 T. N. 8 N. R. N. 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a

T. N. 8 N. R. N. 2 W. 2nd Mer. Ind.

- Ironwoods 8 in. dia. trees N 44 E. 3 miles dist;
 Logwoods 8 in. dia. trees N 49 W. 16 in. dia.
 7450 Intersected the N. Boundary of T. N. 8 N. R. N. 2 W.
 240 miles East of the first set for the cor. to Sub.
 35.136 T. N. 9 N. R. N. 2 W. and set a post for
 the cor. to Sub. 1. & 2 from which a
 Sugar 9 in. dia. trees N 49 W. 13 miles dist;
 Logwoods 6 in. dia. trees N 11 W. 14 in. dia.
 Sand soil and timber same as on the last mile.
-

- North Between Sub. 34.135 T. N. 8 N. R. N. 2 W.
 26.50 To a Brook 12 miles wide; corner S. E.
 40.00 Set a post for the cor. to Sub. from which a
 Sugar 10 in. dia. trees N 44 W. 13 miles dist;
 Sugar 6 in. dia. trees S 8 E. 27 in. dia.
 80.00 Set a post for the cor. to Sub. 26, 27, 34 & 35. from
 which a Sugar 10 in. dia. trees N 62 E. 13 miles dist;
 and a Logwoods 3 in. dia. trees S 34 E. 7 in. dia.
 Sand soil and timber same as on the last mile.
-

- East On a random line between Sub. 26.135, T. N.
 8 N. R. N. 2 W.
 40.00 Set a temporary post for the cor. to 1/4 Sec.
 66.50 To a Brook 10 miles wide; corner South.
 80.10 Intersected the N. & S. line 6 miles South of the first
 set for the cor. to Sub. 25, 26, 35, 36.
 Sand soil and timber same as on the last mile.
-

- West On the true line between Sub. 26.135 T. N. 8 N.
 R. N. 2 W.
 40.05 Set the temporary post at the upper dist. on the true line
 for the cor. to 1/4 Sec. from which a
 Sugar 10 in. dia. trees N 58 E. 7 miles dist;
 Do 10 in. dia. trees S 54 W. 22 in. dia.
 80.10 To the first set for the cor. to Sub. 26, 27, 34 & 35
 T. N. 8 N. R. N. 2 W.

T. N. 8 N. R. N. 27. 2nd. Mor. (Ind. a.)

- North Between Sec. 26 & 27. T. N. 8 N. R. N. 27.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Hick. 10 in. dia. have 113 E. 11. 1/2 in. dia. 10
 Ironwood 3 " " " 114 113 " "
 80.00 Set a post for the cor. to sec. 22, 23, 26, 27. from
 which a Dogwood 6 in. dia. have 131 E. 27 1/2 in. dia.
 under Gum 6 " " " 120 112 " "
 Sand soil and timber same as in the last notes.
-

- East On a Random line between Sec. 23 & 26. T. N. 8 N.
 R. N. 27.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 79.80 Introduce the N. & S. line 27. 1/2 in. North of the
 post set for the cor. to sec. 23, 24, 25 & 26.
 Sand soil and timber same as in the last notes.
-

- West On the true line between Sec. 23 & 26. T. N. 8 N. R. N.
 27.
 39.90 Set the temporary post at the corner with the true line
 for the cor. to 1/4 sec. from which a
 Black 6 in. dia. have 132 E. 8 1/2 in. dia. 10
 Maple 10 " " " 159 11 23 " "
 79.80 To the post set for the cor. to sec. 22, 23, 26 & 27.
-

- North Between Sec. 22, 23. T. N. 8 N. R. N. 27.
 40.00 Set a post for the cor. to 1/4 sec. from which an
 Elm 6 in. dia. have 129 1/2 in. dia. 10
 Poplar 10 " " " 184 E. 8 " "
 80.00 Set a post for the cor. to sec. 14, 15, 22, 23 from
 which a Walnut 10 in. dia. have 125 1/2 in. dia.
 under a W. Walnut 11 " " " 161 E. 22 " "
 Sand soil and timber same
-

- East On a Random line between Sec. 14 & 23. T. N. 8 N.
 R. N. 27.
 40.00 Set a temporary post for the cor. to 1/4 sec.

T. N. 8 S. R. N. 2 W. 2nd Mer. Sec. 4

80.12 Intersected the N. & S. line 16 miles South of the
Post set for the cor. to Sec. 13 14. 23 & 24
Made the same as the last mile

West On the true line between Sec. 14 & 23 T. N. 8 S. R.
N. 2 W.

40.06 Set the temp. Post at the aver. dist on the true line
for the cor. to $\frac{1}{4}$ Sec. from which
Buck 10 in dia bears S 31 E. 14 miles dist; to
W Oak 12 in " " N 66 E 16 " "

80.12 To the Post set for the cor. to Sec. 14, 15, 22, & 23.

North Between Sec. 14 & 15 T. N. 8 S. R. N. 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which
Buck 12 in dia bears S 11 W. 29 miles dist; to
Logwood 6 in " " S 24 E. 9 " "

52.00 To a Brook 8 miles wide bearing East.

80.00 Set a post for the cor. to Sec. 10, 11, 14, & 15. from
which Sugar 10 in dia bears N 27 W. 25 miles dist
under W Oak 12 in " " N 46 E. 29 " "
Made same as on the last mile.

East On a Random line between Sec. 11 & 14 T. N. 8 S.
R. N. 2 W.

40.00 Set a temp. Post for the cor. to $\frac{1}{4}$ Sec.

79.50 Intersected the N. & S. line 10 miles South of the
Post set for the cor. to Sec. 11, 12, 13, & 14.
Made the same.

West On the true line between Sec. 11 & 14 T. N. 8 S. R. N.
2 W.

39.75 Set the temp. Post at the aver. dist on the true line
for the cor. to $\frac{1}{4}$ Sec. from which
W Oak 10 in dia bears S 10 W. 7 miles dist; to
Buck 10 in " " N 26 W. 5 " "

79.50 To the Post set for the cor. to Sec. 10, 11, 14 & 15

T. No 8 N.R. No 2 W. 2nd Mer. Ind.^a

West On the true line between Sec. 11. & 14 T. No 8 & N.R. No 2 W. 2nd Mer.

39.75 Got the temporary post at the corner with the true line for the cor. to 1/4 sec. from which a

W Oak 10 in. dia. bears S 10 W 7 miles dist. to

North 10 " " " N 26 W 5 " "

79.50 To the best lot for the cor. to Sec. 10, 11, 14 & 15

North Between Sec. 10. & 11. T. No 8 N.R. No 2 W.

40.00 Got a post for the cor. to 1/4 sec. from which a

Sugar 10 in. dia. bears N 79 W. 20 miles dist. to

Logwood Can. " " N 26 E. 11 " "

80.03 Got a post for the cor. to Sec. 23, 10. & 11. from which a

Wassafrae 6 in. dia. bears S 6 W. 5 miles dist. to

Logwood 5 " " " N 36 W 11 " "

Grande Riv. runs under some of the last miles

East On the true line between Sec. 2 & 11. T. No 8. N.R. No 2 W.

40.00 Got a temporary post for the cor. to 1/4 sec.

64.00 Log. Brook 6 in. dia. bears S 6 W. 10 miles dist. to

80.14 Intersected the N & S line 21 miles South of the post

for the cor. to 1. 21. 10

Grande Riv. runs under some of the last miles.

West On the true line between Sec. 2 & 11. T. No 8. N.R. No 2 W. 2nd Mer.

40.09 Got the temporary post at the corner with the true line for the cor. to 1/4 sec. from which a

Black 14 in. dia. bears S 57 E. 13 miles dist. to

Wicks 6 " " " S 40 W. 10 " "

80.14 To the best lot for the cor. to Sec. 2, 3, 10. & 11

North Between Sec. 2 & 3 T. No 8 N.R. No 2 W.

40.00 Got a post for the cor. to 1/4 sec. from which a

Black 15 in. dia. bears N 71 W. 6 miles dist. to

389

T. No. 8. N. R. No. 2 W. 2nd Mer. (2nd.)

To 4 in. dia. beam S 17 E. 16 miles dist;
 41.00 To a Brook 8 miles wide; hence N. W.
 74.79 Into section the N. R. No. 2 W. of T. No. 8 N. R. No. 2 W.
 185 miles East of the post set for the cor. to Sec. 34 &
 35. T. No. 9. N. R. No. 2 W. made made a cor. for the cor.
 213. in a N. R. No. 2 W. 8 in. dia. beam
 Sand soil made timber same as the last mile.

North Between Sec. 33 & 34 T. No. 8 N. R. No. 2 W.
 40.00 Got a post for the cor. to 1/4 sec. from which
 Sassafras 6 in. dia. beam S 11 E. 6 miles dist; to
 Poplar 12 in. dia. beam S 17 W. 19 in. dia.
 80.00 Got a post for the cor. to Sec. 27, 28, 33 & 34 from which
 a Gum 6 in. dia. beam S 17 W. 18 miles dist. to
 Poplar 48 in. dia. beam S 45 W. 20 in. dia.
 Sand soil made timber same as the last mile.

East On a line from line between Sec. 27 & 34 T. No. 8 N. R.
 No. 2 W.
 40.00 Got a temporary post for the cor. to 1/4 sec.
 80.08 Into section the N. R. No. 2 W. 28 miles South of the post.
 Got for the cor. to Sec. 26, 27, 34 & 35,
 Sand soil made timber same as the last mile.

West On the true line between Sec. 27 & 34 T. No. 8 N. R. No.
 2 W.
 40.04 Set the temporary post at the corner. Set on the true line
 for the cor. to 1/4 sec. from which
 Dogwood 4 in. dia. beam S 35 W. 15 miles dist; to
 Buck 4 in. dia. beam S 85 W. 11 in. dia.
 80.08 To the post set for the cor. to Sec. 27, 28, 33 & 34

North Between Sec. 27 & 28 T. No. 8 N. R. No. 2 W.
 40.00 Got a post for the cor. to 1/4 sec. from which
 Gum 6 in. dia. beam S 84 E. 32 miles dist; to
 N. Oak 15 in. dia. beam S 87 W. 10 in. dia.

T. N. 8 N. R. N. 2 W. 2nd Mer. (Ind. Co.)

81.00 Set a post for the cor. to sec. 21, 22, 27, & 28. From which a 7 inch dia. beam S 71 E. 15 miles with an oak Poplar 24 in ~ S 89 W. 20 ~ ~ Sand soil and timber same as on the last mile.

East On a Random line between Sec. 22, & 27. T. N. 8 N. R. N. 2 W.

40.00 Set a temporary post for the cor. to 1/4 sec.

81.20 Intersected the N. & S. line 28 miles South of the post set for the cor. to sec. 22, 23, 26, 27. Sand soil and timber same as on the last mile.

West On the true line between Sec. 22, & 27. T. N. 8 N. R. N. 2 W.

44.70 Set the temporary post at the corner just on the true line for the cor. to 1/4 sec. From which a Sugar 15 in dia. beam N 20 E. 10 miles with; oak Elm 5 in ~ ~ S 30 E. 13 ~ ~

81.20 To the last set for the cor. to sec. 21, 22, 27, & 28.

North Beginning Sec. 21, & 22 T. N. 8 N. R. N. 2 W.

40.00 Set a post for the cor. to 1/4 sec. From which a Poplar 30 in dia. beam S 85 W. 4 miles with; oak 7 inch 36 in ~ ~ N 70 E. 4 ~ ~

80.00 Set a post for the cor. to sec. 15, 16, 21, & 22. From which a Sugar 5 in. dia. beam N 29 E. 7 miles with; oak 40 5 in ~ ~ S 55 W. 9 ~ ~ Sand soil and timber same as on the last mile.

East On a Random line between Sec. 15, & 22 T. N. 8 N. R. N. 2 W.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 Intersected the N. & S. line 12 miles North of the post set for the cor. to sec. 14, 15, 22, & 23. Sand soil and timber same as on the last mile. T. N. 8 N. R. N. 2 W.

T. N. 8 N.R. N. 27 2nd Mer. Ind.

ch. 1. 1/4 in.

West On the true line between Sep. 15. & 22. T. N. 8 N.
N. 27.

40.00 Set the temporary post at the corner west on the true line
for the cor. to 1/4 sec. from which is

Survey 5 in. dia. base 637 E 5.7 miles north; 10

110 20 in. n n 650 77 19 n n

811.00 To the first set for the cor. to Sep. 15. 16. 21. & 22.

North Between Sep. 15. & 16. T. N. 8 N.R. N. 27.

40.00 Set W Oak 15 in. dia. which stands for the cor. to
1/4 sec.

811.00 Set the post for the cor. to Sep. 9. 10. 15 & 16. from
which is 110 178 in. dia. base N 50 77 8 miles north;
under W Oak 20 in. n n 640 77 32 n n
Ground soil made timber same as on the first mile.

East On a Random line between Sep. 10. & 15. T. N. 8 N.
N. 27.

40.00 Set a temporary post for the cor. to 1/4 sec.

79.80 Intersected the N.S. line at the first set for the cor.
to Sep. 10. 11. 14 & 15

Ground soil made timber same as on the first mile.

West On the true line between Sep. 10. & 15. T. N. 8 N.
N. 27.

39.90 Set the temporary post at the corner west on the true line
for the cor. to 1/4 sec. from which is

Survey 40 in. dia. base 557 77.5 miles north; 10

120 10 in. n n 688 E. 18 n n

79.80 To the first set for the cor. to Sep. 9. 10. 15. & 16.

North Between Sep. 9. & 10. T. N. 8 N.R. N. 27

40.00 Set a post for the cor. to 1/4 sec. from which is

Maple 15 in. dia. base 544 E. 4 miles north; 10

110 15 in. n n 126 77 21 n n

8000 Set a post for the cor. to Sep. 3. 4. 9. & 10. from which is

T. N. 8 N.R. N. 2nd Mer. Ind. 2.

4 Deer 8 in. dia. bears N44 W. 29 miles dist; ran
 Oct 26 on a N63 E. 27 " "
 Sando Loma across the last mile.

East On a Random line between Sec. 3 & 10. T. N. 8.
 N.R. N. 27.

26.00 To a Creek 10 miles wide; Norma South.
 40.00 Set a trap; first for the cor. to 1/4 sec.
 80.00 Introduced to the N.E.S. line 16 miles North of the
 first set for the cor. to Sec. 2 31 N. 11
 Sando Loma across the line above.

West On the true line between Sec. 3 & 10. T. N. 8. N.R.
 N. 27.

40.10 Set the trap; first at the very dist on the true line
 for the cor. to 1/4 sec. from which
 Sugar 6 in. dia. bears N78 E. 20 miles dist; to
 Heiko 18 " " " S1 E. 21 " "
 80.20 To the post set for the cor. to Sec. 3 14. 9.10.

North Between Sec. 3 & 4. T. N. 8 N.R. N. 27.

40.00 Set a post for the cor. to 1/4 sec. from which
 Sugar 10 in. dia. bears S31 W. 5 miles dist; to
 Heiko 12 " " " N42 E. 14 " "
 75.74 Introduced to the N. Boundary of T. N. 8 N.R. N. 27.
 223 miles East of the post. Set for the cor. to Sec.
 33 & 34 T. N. 8 N.R. N. 27. and set first for the
 cor. to Sec. 3 & 4. from which
 Gum 10 in. dia. bears S7 W. 14 miles, dist; and
 Heiko 10 " " " S64 E. 9 " "
 Sando Soil and timber line across the last mile

North Between Sec. 32 & 33 T. N. 8 N.R. N. 27.

37.00 To a Brook 10 miles wide Lense 27.
 40.00 Set a post for the cor. to 1/4 sec. from which
 Gum 7 in. dia. bears N53 E. 14 miles dist; and

T. N. 8 N. R. No 2 W. 2nd Mer. (Cud.)

80.00 Sugar 10 in. dia. - 19 mi. dist;
 Set apart for the cor. to sub. 28, 29, 32 & 33. From
 which a Sugar 5 in. dia. - 8 mi. dist;
 under an Elm 10 in. - S 78 W. 18 in. -
 Same as on the last mile.

East On a Random line between sub. 28 & 33. T. N. 8.
 N. R. No 2 W.

40.00 Set a temp. post for the cor. to $\frac{1}{4}$ sec. from which
 81.00 Intersected the N. 83 W. 30 mi. south of the last
 set for the cor. to sub. 27, 28, 33 & 34
 Same soil and timber same as on the last mile.

West On the true line between sub. 28 & 33. T. N. 8 N. R.
 No 2 W.

40.50 Set the temp. post at the corr. set on the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 Dogwoods 3 in. dia. - 13 mi. dist; to
 Gum 12 in. - N 57 W. 34 in. -
 81.00 Set the post set for the cor. to sub. 28, 29, 32 & 33.

North Return sub. 27 & 29 T. N. 8 N. R. No 2 W.

81.00 To a Brook 12 mi. mid; across S. W.

10.50 To where it was crossed 3 times

49.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 N. Walnut 7 in. dia. - 4 mi. dist; to
 Sugar 18 in. - S 20 W. 36 in. -

80.00 Set apart for the cor. to sub. 22, 24, 28 & 29 from which
 a Dogwoods 4 in. dia. - 11 mi. dist; to
 pils. 4 in. - S 3 E. 20 in. -
 Same soil and timber same as on the last mile.

East On a Random line between sub. 21 & 28. T. N. 8 N.
 R. No 2 W.

40.00 Set a temp. post for the cor. to $\frac{1}{4}$ sec. from which a
 41.00 To a Brook 15 mi. mid; across S. W.

I. N. 8. N. R. N. 27. 2nd Mer. (Ind. a)

84.28 Intersect the N. & S. line 20 miles North of the
Post set for the corr. to lat. 21. 22. 27. 28.
Lands soil and timber same as on the last mile.

West On the true line between lat. 21. & 28. I. N. 8. N.
R. N. 27.

40.14 Set a post (tump?) at the westerly dish on the true line
for the corr. to $\frac{1}{4}$ sec. From which a
Bearing 5 mi. dis. bears N 34 W. 40 miles dist; to
Lat 15 n n n S 40 E. 28 n n

80.28 To the post set for the corr. to lat. 20. 21. 28. & 29.

North Between lat. 20. & 21. I. N. 8. & N. N. 27.

20.00 Set a post for the corr. to $\frac{1}{4}$ sec. From which a
Log road 6 mi. dis. bears N 37 W. 4 miles dist; to
North 10 n n n N 27 E. 16 n n

80.00 Set a post for the corr. to lat. 16. 17. 20. & 21. From which
on a road 4 mi. dis. bears S 78 E. 5 miles dist; to
Sugar 8 n n n S 27 W. 15 n n
Lands soil and timber same as on the last mile.

East On a N. & S. line between lat. 16 & 21. I. N. 8. N.
R. N. 27.

40.00 Set a post for the corr. to $\frac{1}{4}$ sec. (tump?)

54.75 To a Brook 18 miles wide; Union South.

79.95 Intersect the N. & S. line 21 miles South of the Post
set for the corr. to lat. 15. 16. 21. & 22.
Lands soil and timber same as on the last mile.

West On the true line between lat. 16 & 21. I. N. 8. N. R.
N. 27.

39.97 $\frac{1}{2}$ Set the tump? Post at the westerly dish on the true line
for the corr. to $\frac{1}{4}$ sec. From which a

Sugar 24 mi. dis. bears S 10 E. 11 miles dist; to
W. 3 n n n N 58 W. 12 n n

79.95 To the post set for the corr. to lat. 15. 16. 20. 21.

T. N. 8 N.R. No 2 W. 2nd Mer. (Ind.)

North Between Sec. 16. + 17. T. N. 8 N.R. No 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
W. Oak 4 in. dia. bears S 57 E 8 links dist; 10
Do 5 " " " S 3 E. 15 " "80.00 Set a post for the cor. to Sec. 8. 9. 16. + 17. from which
a Buck 8 in. dia. bears N 82 W. 18 links dist; 10
Do 8 " " " N 65 E. 14 " "
Good soil and timber same as on the last mile.

East On a line from here between Sec. 9. + 16. T. N. 8 N.R. No 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a80.00 Set a post for the N. 83 line 20 links South of the post
Set for the cor. to Sec. 9. 11. 15. 16.
Good soil and timber same as on the last mile.

West On the true line between Sec. 9. + 16. T. N. 8 N.R. No 2 W.

40.00 Set the temporary post at the corner. Dist on the true line
for the cor. to $\frac{1}{4}$ Sec. from which a

W. Oak 15 in. dia. bears S 25 W. 13 links dist; 10

Syc 5 " " " S 52 E. 121 " "

80.00 To the post set for the cor. to Sec. 9. 8. 16 + 17.

North Between Sec. 8. + 9. T. N. 8 N.R. No 2 W.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a

Buck 21 in. dia. bears N 62 W. 32 links dist; 10

Eln 4 " " " N 10 E. 20 " "

80.00 Set a post for the cor. to Sec. 4. 5. 8. 9. from which a

Syc 6 in. dia. bears N 5 E 10 links dist; 10

Oak 7 12 " " " S 63 W. 22 " "

Good soil and timber same as the last mile

East On a line from here between Sec. 4. + 9. T. N. 8 N.R. No 2 W.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.

70.50 To a post 18 links wide corner N. W.

T. N^o 8 N.R. N^o 2 W. 2nd 4th Mer. Ind.ⁿ

- 80.10 Introduce the N. 8 line 22 miles South of the fork
 set for the cor. to Sec. 3. 4. 9. 10.
 Sande soil and timber same as on the last mile.

West On the true line between Sec. 4 & 9 of T. N^o 8 N.R.
 N^o 2 W.

- 40.05 Set the temporary post at the av. dist. on the true line
 for the cor. to $\frac{1}{4}$ Sec. from which a
 Elm 12 in. dia. bears N 84 E 27 miles dist. and a
 Hawthorn 11 " " " N 66 W 17 " " "

80.10 To the post set for the cor. to Sec. 4. 5. 8. 9.

North Between Sec. 4 & 5. T. N^o 8 N.R. N^o 2 W.

- 39.50 To a Spring Run 15 miles midw. Runner NW.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Beech - in dia. bears N 75 E. 14 miles dist.; and a
 Poplar 12 " " " N 27 E. 10 " " "

64.00 To a Brook 10 miles midw. Runner W.

- 75.67 Introduce the N. Boundary of T. N^o 8 N.R. N^o 2 W.
 300 miles East of the post set for the cor. to Sec.
 32. 33. T. N^o 9 N.R. N^o 2 W. and set a post for
 the cor. to Sec. 4 & 5. from which a
 Beech 8 in. dia. bears S 64 E. 3 miles dist.; and
 W Oak 12 " " " S 55 W 23 " " "
 Sande soil and timber same as on the last mile

North Between Sec. 31 & 32. T. N^o 8 N.R. N^o 2 W.

- 30.00 To a Brook 20 miles midw. Runner West.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 Hickory 10 in. dia. bears S 27 W. 7 miles dist.; and
 Gum 18 " " " N 17 E. 10 " " "

- 80.00 Set a post for the cor. to Sec. 29. 30. 31 & 32. from which
 a Poplar 40 in. dia. bears N 23 W. 28 miles dist.; and
 Beech 10 " " " S 67 E. 24 " " "
 Sande soil and timber same as on the last mile.

I No 8 N.R. No 2 W. 2nd Mer (Ind.)

East On a Random line between Sep. 29. & 30 I. No 8 N.R. No 2 W.

- 240.50 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 63.00 To a Berck 20 miles wide; hence I. W.
 79.50 Intersected the N. & S line 2 miles South of the post
 set for the cor. to Sep. 28. 29. 32. & 33.
 Lands level and timber same as on the last mile.

West On the true line between Sep. 29. & 30 I. No 8 N.R. No 2 W.

- 39.75 Set the temporary post at the corner set on the true line
 for the cor. to $\frac{1}{4}$ sec. from which
 Sugar 8 in. dia. base East 25 miles dist;
 70.50 To the post set for the cor. to Sep. 29. 30. 31. & 32.

North Between Sep. 29. & 30 I. No 8 N.R. No 2 W.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which
 Sugar 10 in. dia. base S 43 W. 10 miles dist; 10
 Ironwood 4 in. dia. base N 47 W. 15 in. dia.
 8000 Set a post for the cor. to Sep. 19. 20. 29. & 30. from which
 a Gum 20 in. dia. base S 50 E 14 miles dist; 10
 Do 18 in. dia. base N 68 W 17 in. dia.
 Lands rolling and not level; Timber Oak, Hickory
 Poplar & Sugar. I 8 N.R. 2 W

East On a Random line between Sep. 20. & 29. I. No 8 N.R. No 2 W.

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 80.00 Intersected the N. & S line at the post set for the cor.
 to Sep. 20. 21. 28. & 29.
 Lands level and timber same as on the last mile.

West On the true line between Sep. 29. & 20. I. No 8 N.R. No 2 W.

- 40.00 Set the temporary post at the corner set on the true line for the
 cor. to $\frac{1}{4}$ sec. from which

T. N^o 8 N.R. N^o 277. 2nd Mer. Call^{er}

W. Oak - in. dia. - bears S45W. 13 miles dist; 12
 10 10 n n n N45W. 11 n n
 80.00 To the first set for the cor. to sub. 19. 20. 29. & 30.
 Same soil made timber same as on the last mile.

North Between Sub. 19. & 20. T. N^o 8 N.R. N^o 277.
 40.00 Set a post for the cor. to 1/4 sec. from which
 Buck 5 in. dia. - bears S35W. 9 miles dist; 12
 W. Walnut 8 n n n N43E. 21 n n
 80.00 Set a post for the cor. to sub. 17. 18. 19. & 20. From which
 n Maple 18 in. dia. - bears S25W. 12 miles dist; 12
 Poplar 5 n n n N27E. 17 n n
 Same soil made timber same as on the last mile.

East On a Random line between Sub. 17. & 20. T. N^o 8 N.
 R. N^o 277.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 80.12 Intersected the N. & S. line 15 miles North of the
 post set for the cor. to sub. 16. 17. 20. & 21.
 Same soil made timber same as on the last mile.

West On the true line between Sub. 17. & 20. T. N^o 8 N.R.
 N^o 277.
 40.06 Set the temporary post at the aver. dist. on the true line
 for the cor. to 1/4 sec. from which a
 W. Oak 18 in. dia. - bears S55E. 4 miles dist; 12
 Ash 3 n n n S84W. 33 n n
 80.12 To the first set for the cor. to sub. 17. 18. 19. & 20.

North Between Sub. 17. & 18. T. N^o 8 N.R. N^o 277.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 24 in. dia. - bears N15E. 13 miles dist; 12
 Sugar 12 n n n S70W. 23 n n
 55.50 To a Brook 15 miles wide; across W.
 80.00 Set a post for the cor. to sub. 7. 8. 17. & 18. from which
 Hickory 24 in. dia. - bears N16W. 8 miles dist; 12

T. N^o 8 N.R. N^o 27. 2nd Mer. (Ind.)

Width 10 in. dia. beam N 19 E. 13 links dist; to
Sands soil and timber same as on the last mile.

East In a Random line between Sec. 8. & 17. T. N^o 8 N.R.
N. N^o 27.

40.00 Set a temp. post for the cor. to $\frac{1}{4}$ sec.

80.16 Enter Sec. 8 the N & S line 26 links North of the
post set for the cor. to sec. 8. 9. 16. & 17.
Sands soil and timber same as on the last mile.

West In the true line between Sec. 8. & 17. T. N^o 8 N.R.
N^o 27.

40.08 Set the temp. post at the aver. dist on the true line
for the cor. to $\frac{1}{4}$ sec. From which a

N Walnut 15 in. dia. beam N 86 E 18 links dist;
at West 15 " " " N 16 E. 22 " "

80.16 To the last set for the cor. to Sec. 7. 8. 17. & 18.

North Between Sec. 7. & 8. T. N^o 8 N.R. N^o 27.

9.50 To a Brook 18 links wide; Corner N. 27.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. From which a
Sugar 12 in. dia. beam N 30 E 10 links dist; to
Beck 8 " " " S 58 E. 35 " "

41.00 To a W. Oak 18 in. dia. Stand on the line.

80.00 Set a post for the cor. to Sec. 5. 6. 7. & 8 from
which Beck 6 in. dia. beam N 43 E. 12 links dist;
and a No. 6 " " " S 24 E. 10 " "
Sands soil and timber same as on the last mile.

East In a Random line between Sec. 5. & 8. T. N^o 8 N.R.
N. N^o 27.

40.30 Set a temp. post for the cor. to $\frac{1}{4}$ sec.

79.90 Enter Sec. 8 the N & S line 10 links North of the post
set for the cor. to Sec. 4. 5. 8. & 9.

Sands soil and timber same as on the last mile.
T. N^o 8 N.R. N^o 27.

T. N. 8 N.R. N. 27. 2nd Mer (Ind. a)

- West On the true line between Sec. 5 & 8 T. N. 8 N.R. N. 27.
 39.95 Set the true line. Post at the corner. Post on the true line
 Opposite the cor. to $\frac{1}{4}$ sec. from which a
 Red 20 in dia. line East 8 links dist; and a
 Black 24 in $\sim \sim$ N 19 E. 12 $\sim \sim$
 79.90 Set the post at the cor. to Sec. 5. C. 7. 188

- North Between Sec. 5 & 6 T. N. 8 N.R. N. 27.
 36.00 Set a N. Oak 20 in. dia. line in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Black 10 in dia. line N 81 E 4 links dist; to
 Co 9 $\sim \sim \sim$ S 40 W. 12 $\sim \sim$
 76.27 Enter into the N Boundary of Sec. 8 N.R. N. 27. 358 links East of the post set for the
 cor. to Sec. 31 & 32. T. N. 9. N.R. N. 27. insert
 a post for the cor. to Sec. 5 & 6. from which a
 Black 3 in. dia. line S 8 W. 14 links dist; to
 Black 3 in $\sim \sim$ N 50 W. 8 $\sim \sim$
 Same soil and timber same as on the last mile.

- West Between Sec. 6 & 7 T. N. 8 N.R. N. 27.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Black 12 in. dia. line N 66 E 26 links dist;
 to Co 26 $\sim \sim \sim$ S 30 E 7 $\sim \sim$
 73.20 Enter into the West Boundary of T. N. 8 N.R. N. 27. 100 links South of the post set for the cor.
 to sec. 1 & 12. T. N. 8 N.R. N. 37. and set a
 post for the cor. to Sec. 6 & 7. from which a
 Sugar 4 in. dia. line N 84 W. 15 links dist; to
 Co 18 $\sim \sim \sim$ S 37 W. 24 $\sim \sim$
 Same soil and timber same as on the last mile

- West Between Sec. 7 & 18 T. N. 8 N.R. N. 27
 24.50 Set a Post 25 links north, corner S. N.
 40.00 Set a post for the cor. $\frac{1}{4}$ sec. from which a

T. N^o 8 N.R. N^o 27. 2nd Mer (S. a. c.)

- Tree 20 in. dia. base S 65 E. 16 links dist; to
 Lf 10 a ~ ~ N 34 W. 14 a ~ ~
 71.62 Intersected the West Boundary of T. N^o 8 N.R.
 N^o 27. 129 links South of the first set for the
 cor. to Sec. 12. & 13. T. N^o 8 N.R. N^o 37. and
 set a post for the cor. to Sec. 7. & 8. from which
 Tree 8 in. dia. base N 20. E 5 links dist; to
 Lf 12 a ~ ~ S 63 E. 19 a ~ ~
 Sand soil and timber same as on the last mile.

- West Return Sec. 18. & 19. T. N^o 8 N.R. N^o 27.
 45.00 Set a post for the cor. to Sec. from which
 Tree 4 in. dia. base S 70 W. 36 links dist; to
 Lf 4 a ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
 71.13 Intersected the West Boundary of T. N^o 8 N.R. N^o
 27. 261 links South of the first set for the cor. to
 Sec. 13 & 24 T. N^o 8 N.R. N^o 37. and set a post
 for the cor. to Sec. 18 & 19. from which
 Tree 15 in. dia. base N 83 W. 18 links dist; to
 Dog wood 4 a ~ ~ ~ S 45 E. 22 a ~ ~
 Sand soil and timber same as on the last mile.

- West In the true line between Sec. 19. & 19. & 30. T. N^o 8 N.
 R. N^o 27.
 46.00 Set a post for the cor. to 1/4 Sec. from which
 B. Oak 30 in. dia. base N 72 W. 18 links dist; to
 W. Oak 12 a ~ ~ ~ N 35 E. 14 a ~ ~
 70.50 Intersected the West Boundary of T. N^o 8 N.R. N^o
 27. 8 links North of the first set for the cor. to
 Sec. 24 & 25 T. N^o 8 N.R. N^o 37. and set a post
 for the cor. to Sec. 19. & 30. from which
 Tree 8 in. dia. base N 80 W. 5 links dist; to
 Lf 5 a ~ ~ ~ N 10 E. 7 a ~ ~
 Sand soil and timber same as on the last mile.

- West Return Sec. 30 & 31. T. N^o 8 N.R. N^o 27.

T. N. 8 N. R. N. 27. 2nd Mer. (Ind.)

- 22.50 To a Birch 10 miles wide; across
 40.00 Set a post for the cor. to 1/4 Sec. from which
 the 1/2 12 in. dia. bears S 76 E. 29 miles west; to
 Dogwoods Co. S 53 1/2 W. 12 n
 65.00 To a Maple 18 in. dia. stands in the line.
 69.90 Intersected the West Boundary of Twp. N. 8 N. R.
 N. 27. 100 miles South of the post but for the
 cor. to Sec. 25 T. 36. T. N. 8 N. R. N. 37. and set
 a post for the cor. to Sec. 31 131 from which a
 1/2 Sec. 12 in. dia. bears N 63 E. 4 miles west; to
 Log 15 n S 86 E. 20 n
 Sunde Soil and timber same as in the last mile.

Surveyed by
 Arthur Henry.
 Dep. Surr.

I certify that the foregoing transcript of the
 field notes of Township N. 8 N. Range N.
 2 West of the 2nd Mer. Indiana, has been
 compared with the Original notes in this Office
 and found to be correct.

Surveyor General's Office
 Cincinnati, Dec. 27. 1839.

E. P. Rains
 Sur. Genl.